AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1-36. (Canceled).
- 37. (Previously Presented) E. coli strain DH5alpha-T1 deficient of the araD gene and ulaF gene.
- 38. (Previously Presented) $E.\ coli$ strain DH5alpha-T1 deficient of the araD gene and sgbE gene.
- 39. (Previously Presented) *E. coli* strain DH5alpha-T1 deficient of the *araD* gene, *ulaF* gene, and *sgbE* gene.
- 40. (Previously Presented) *E. coli* strain AG1 deficient of the *araD* gene and *ulaF* gene.
- 41. (Previously Presented) *E. coli* strain AG1 deficient of the *araD* gene and *sgbE* gene.
- 42. (Previously Presented) $E.\ coli$ strain AG1 deficient of the araD gene, ulaF gene, and sgbE gene.

- 43-52. (Canceled).
- 53. (New) A vector comprising a mutated *E. coli araD* gene, wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 1, except that codon 8 of the *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.
- 54. (New) The vector of claim 53, wherein the guanine at nucleic acid position 709 of SEQ ID NO: 1 is substituted with adenine.
- 55. (New) A vector comprising a mutated *E. coli araD* gene, wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 18, except that codon 8 of the *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.
- 56. (New) The vector of claim 55, wherein the cytidine at nucleic acid position 320 of SEQ ID NO: 18 is substituted with thymidine.
- 57. (New) A vector comprising a mutated *E. coli araD* gene, wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 19, except that codon 8 of the *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.
- 58. (New) The vector of claim 57, wherein the cytidine at nucleic acid position 22 of SEQ ID NO: 19 is substituted with thymidine.

- 59. (New) The vector of any one of claims 53-58, wherein said vector is an expression vector comprising:
 - (a) an isolated DNA sequence encoding a nuclear-anchoring protein operatively linked to a heterologous promoter, wherein said nuclear-anchoring protein is the E2 protein of Bovine Papilloma Virus type 1 (BPV), and
 - (b) an isolated, multimerized DNA sequence forming a binding site for said nuclear-anchoring protein, wherein said binding site comprises multiple binding sites for the BPV E2 protein incorporated into the vector as a cluster, wherein said binding sites can be head-to-tail structures or can be included into said vector by spaced positioning, and wherein said vector lacks a papilloma virus origin of replication.
 - 60. (New) The vector of claim 59, further comprising a deletion in said multimerized DNA sequence.
- 61. (New) The vector of claim 59, further comprising a mutation in the Shine-Dalgarno sequence of the mutated *E. coli araD* gene.
- 62. (New) A selection system comprising an *E. coli* cell deficient of the *E. coli* araD gene into which a vector comprising an *E. coli* araD gene has been added as a selection marker, wherein said *E. coli* araD gene comprises SEQ ID NO: 1.
- 63. (New) A selection system comprising an *E. coli* cell deficient of the *E. coli* araD gene into which a vector comprising an *E. coli* araD gene has been added as a selection marker, wherein said *E. coli* araD gene comprises SEQ ID NO: 18.

- 64. (New) A selection system comprising an *E. coli* cell deficient of the *E. coli* araD gene into which a vector comprising an *E. coli* araD gene has been added as a selection marker, wherein said *E. coli* araD gene comprises SEQ ID NO: 19.
- 65. (New) A selection system comprising an *E. coli* cell deficient of the *E. coli araD* gene into which a vector comprising a mutated *E. coli araD* gene has been added as a selection marker, wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 1, except that codon 8 of the mutated *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.
- 66. (New) The selection system of claim 65, wherein the guanine at nucleic acid position 709 of SEQ ID NO: 1 is substituted with adenine.
- 67. (New) A selection system comprising an *E. coli* cell deficient of the *E. coli* araD gene into which a vector comprising a mutated *E. coli* araD gene has been added as a selection marker, wherein said mutated *E. coli* araD gene comprises SEQ ID NO: 18, except that codon 8 of the mutated *E. coli* araD gene has been mutated to encode a stop codon rather than a glutamine.
- 68. (New) The selection system of claim 67, wherein the cytidine at nucleic acid position 320 of SEQ ID NO: 18 is substituted with thymidine.

- 69. (New) A selection system comprising an *E. coli* cell deficient of the *E. coli araD* gene into which a vector comprising a mutated *E. coli araD* gene has been added as a selection marker, wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 19, except that codon 8 of the mutated *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.
- 70. (New) The selection system of claim 69, wherein the cytidine at nucleic acid position 22 of SEQ ID NO: 19 is substituted with thymidine.
- 71. (New) A method of selecting cells transformed with a plasmid containing a nucleic acid sequence comprising an *E. coli araD* gene as a selection marker and a gene of interest, wherein said method comprises:
 - (a) inserting said plasmid into an $E.\ coli$ cell deficient of the $E.\ coli\ araD$ gene; and
 - (b) growing the cells in a growth medium containing arabinose;
 - wherein said E. coli araD gene comprises SEQ ID NO: 1.
- 72. (New) A method of selecting cells transformed with a plasmid containing a nucleic acid sequence comprising an *E. coli araD* gene as a selection marker and a gene of interest, wherein said method comprises:
 - (a) inserting said plasmid into an E. coli cell deficient of the E. coli araD gene; and
 - (b) growing the cells in a growth medium containing arabinose;
 - wherein said E. coli araD gene comprises SEQ ID NO: 18.

- 73. (New) A method of selecting cells transformed with a plasmid containing a nucleic acid sequence comprising an *E. coli araD* gene as a selection marker and a gene of interest, wherein said method comprises:
 - (a) inserting said plasmid into an E. coli cell deficient of the E. coli araD gene; and
 - (b) growing the cells in a growth medium containing arabinose;

wherein said E. coli araD gene comprises SEQ ID NO: 19.

- 74. (New) A method of selecting cells transformed with a plasmid containing a nucleic acid sequence comprising a mutated *E. coli araD* gene as a selection marker and a gene of interest, wherein said method comprises:
 - (a) inserting said plasmid into an E. coli cell deficient of the E. coli araD gene; and
 - (b) growing the cells in a growth medium containing arabinose;

wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 1, except that codon 8 of the mutated *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.

- 75. (New) The method of claim 74, wherein the guanine at nucleic acid position 709 of SEQ ID NO: 1 is substituted with adenine.
- 76. (New) A method of selecting cells transformed with a plasmid containing a nucleic acid sequence comprising a mutated *E. coli araD* gene as a selection marker and a gene of interest, wherein said method comprises:
 - (a) inserting said plasmid into an E. coli cell deficient of the E. coli araD gene; and
 - (b) growing the cells in a growth medium containing arabinose;

wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 18, except that codon 8 of the mutated *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.

- 77. (New) The method of claim 76, wherein the cytidine at nucleic acid position 320 of SEQ ID NO: 18 is substituted with thymidine.
- 78. (New) A method of selecting cells transformed with a plasmid containing a nucleic acid sequence comprising a mutated *E. coli araD* gene as a selection marker and a gene of interest, wherein said method comprises:
 - (a) inserting said plasmid into an E. coli cell deficient of the E. coli araD gene; and
 - (b) growing the cells in a growth medium containing arabinose;

wherein said mutated *E. coli araD* gene comprises SEQ ID NO: 19, except that codon 8 of the mutated *E. coli araD* gene has been mutated to encode a stop codon rather than a glutamine.

- 79. (New) The method of claim 78, wherein the cytidine at nucleic acid position 22 of SEQ ID NO: 19 is substituted with thymidine.
- 80. (New) The selection system of any one of claims 62-70, wherein said *E. coli* cell deficient of the *E. coli araD* gene is an *E. coli* strain DH5 alpha, AG1, or JM109 cell deficient of the *E. coli araD* gene.